



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/524,273

08/11/2005

Javier Marti Sendra

027318-00007

1001

4372 7590 07/06/2007  
ARENT FOX PLLC  
1050 CONNECTICUT AVENUE, N.W.  
SUITE 400  
WASHINGTON, DC 20036

EXAMINER

ROJAS, OMAR R

ART UNIT

PAPER NUMBER

2874

MAIL DATE

DELIVERY MODE

07/06/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	Application No. 10/524,273	Applicant(s) MARTI SENDRA ET AL.	
	Examiner Omar Rojas	Art Unit 2874	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

#### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 15 March 2006.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1-6 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-6 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on February 11, 2005 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                        | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)               | Paper No(s)/Mail Date. _____  |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>0205</u>  | 6) <input checked="" type="checkbox"/> Other: <u>Detailed Action</u>        |

## **DETAILED ACTION**

### ***Priority***

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

### ***Information Disclosure Statement***

2. The prior art documents submitted by Applicant(s) in the Information Disclosure Statement(s) ("IDS") filed on February 11, 2005 have all been considered and made of record (note the attached copy of form(s) PTO-1449).

### ***Drawings***

3. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because the shading in Figures 1, 3, and 4 obscures understanding of the figures. Applicant is advised to employ the services of a competent patent draftsman outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

## **INFORMATION ON HOW TO EFFECT DRAWING CHANGES**

### **Replacement Drawing Sheets**

Drawing changes must be made by presenting replacement sheets which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments section, or remarks, section of the amendment paper. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). A replacement sheet must include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not

Art Unit: 2874

accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and within the top margin.

### **Annotated Drawing Sheets**

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheet(s) must be clearly labeled as "Annotated Sheet" and must be presented in the amendment or remarks section that explains the change(s) to the drawings.

### **Timing of Corrections**

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings **MUST** be filed within the **THREE MONTH** shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may **NOT** be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

4. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

### ***Claim Rejections - 35 USC § 112***

5. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

6. **Claims 1-6 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.**

Art Unit: 2874

7. The claims are generally narrative and indefinite, failing to conform with current U.S. practice. They appear to be a literal translation into English from a foreign document and are replete with vague and indefinite terms such as "any kind" and "may be".

***Claim Rejections - 35 USC § 103***


8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

9. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

10. **Claims 1-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over US 6,381,389 B1 to Kosaka in view of US 2004/0264903 A1 to Dridi et al. ("Dridi").**

*In re* claim 1, Kosaka discloses a system of coupling between a dielectric optical guide 13 and a planar photonic crystal guide 12, characterised by the fact that it consists of a coupling structure 11 necessary for adapting the width between both guides. Figure 2 of Kosaka is reproduced below.



*In re* claim 2, the coupling structure 11 of Kosaka inherently has a length, width and shape, as seen in Figure 2, depending on the characteristics of both the dielectric guide 13 and the photonic crystal guide 12.

*In re* claim 3, the photonic crystal guide 12 of Kosaka inherently has a grid constant, radius and height of the cylinders and contrast of indices between the material of the columns, the material surrounding the columns and the material above and below the crystal as suggested by Figure 2.


***In re* claim 4, the dielectric guide 13 is an optical fiber.**

*In re* claim 5, the photonic crystal guide 12 inherently has a width and a type.

Thus, Kosaka only differs from claims 1-5 in that Kosaka does not teach the introduction of point defects in the coupling structure 11 by selecting a particular number of defects and one or more defect characteristics including radius, dielectric constant, relative position and height as recited by claim 1.

Dridi, on the hand, discloses introducing point defects 1721,1722 into a coupling structure (Figure 17) by selecting a particular number of defects and one or more defect characteristics including radius, dielectric constant, relative position and height. *See* Dridi at paragraph [0146].

Figure 17(a) of Dridi is reproduced below.



Art Unit: 2874

The motivation for combining Dridi with Kosaka is to provide better low loss transfer of energy between the waveguides. *See* Dridi at paragraph [0047]. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the claimed invention to obtain the invention specified by claims 1-5 in view of Kosaka combined with Dridi.

*In re* claim 6, an optimum number of defects 1721, 1722 is inherently chosen in Dridi as well as the characteristics of each one of them, both for introducing the light from a dielectric guide into a photonic crystal guide as for extracting the light from a photonic crystal guide into a dielectric guide because Dridi teaches low loss adiabatic transfer of energy between waveguides. *See* Dridi at paragraph [0047]. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the claimed invention to obtain the invention specified by claim 6 in view of Kosaka combined with Dridi for the same reasons given with respect to claims 1-5.

### ***Conclusion***

11. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The additional references cited on the attached form PTO-892 disclose state-of-the-art techniques for coupling conventional optical waveguides with photonic crystal waveguides.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Omar Rojas whose telephone number is (571) 272-2357. The examiner can normally be reached on Monday-Friday (12:00PM-8:00PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rod Bovernick, can be reached on (571) 272-2344. The official facsimile number



Art Unit: 2874

for regular and After Final communications is (571) 273-8300. The examiner's RightFAX number is (571) 273-2357.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Omar Rojas  
Patent Examiner  
Art Unit 2874

or  
August 5, 2006



Rodney Bovernick  
Supervisory Patent Examiner  
Technology Center 2800